

Addressing the Ecological Effects of Off-Road Vehicles (ORVs)

Key Points

- Management of cross-country travel by motorized off-road vehicles (ORVs) is one of the most serious issues facing public land management agencies.
- Like other outdoor recreational pursuits, ORV use has risen dramatically in recent decades, increasing the conflicts between recreational demand and environmental protection.
- The effects of ORVs on wildlife range from direct mortality to increased physiological stress to displacement from favored habitat and other fragmentation effects.
- ORVs damage native vegetation and are a key cause of the spread of invasive plants in many areas.
- Soils, especially in arid regions, are often severely damaged by ORVs. Increased erosion, water pollution, and

air pollution are other negative environmental effects caused by ORVs.

- As demand for off-road recreational opportunities increases, land management agencies must develop science-based plans to manage the ecological threats caused by ORV use and ensure adequate monitoring and enforcement of regulations.
- Ecological effects must be the first and foremost consideration in making management decisions. Desires for recreational access cannot take priority over protection and conservation of natural resources on public lands.

Background

Off-road vehicles (ORVs), including all-terrain vehicles (ATVs—small, open motor vehicles having one seat and three or more wheels fitted with large tires) and dirt bikes (off-highway motorcycles),



PHOTO COURTESY US FOREST SERVICE

Mandating that ORVs stay on designated trails is a good first step toward reducing the ecological impacts of ORVs while continuing to provide recreational opportunities.

Science & Policy Brief


present one of the most serious management issues facing public lands agencies. Widespread concern about ecological damage from cross-country travel by motorized vehicles was recently reflected by U.S. Forest Service Chief Dale Bosworth, who identified unmanaged recreation, including ORV use, as one of the top four threats to the health of national forests across the country. Such concerns spurred the Forest Service to implement a new travel management rule in November 2005, providing a consistent national framework for local decisions on where and how ORV use is permitted through designation of a motorized road and trail system and prohibition of cross-country use (U.S. Forest Service 2005). To ensure compliance on the part of visitors, the rule also requires a motor vehicle use map to be made available to the public at no cost. This

rule can be considered a first step toward reducing the ecological impacts of ORVs while continuing to provide recreation opportunities. The next step is for the Forest Service and other agencies to ensure that ecological analyses, monitoring, and enforcement plans are implemented in order to identify and respond to the effects of past and future ORV use.

ORV use has risen dramatically in recent decades. In 1960, so few people used ORVs that they were not even addressed in a nationwide survey on outdoor recreation. The number of ORV users in the United States rose from 5.3 million in 1979 to 28 million by the late 1990s (Bowker et al. 1999); the number of ORVs on public lands also increased substantially during this time period (Schubert & Associates 1999). In the state of Idaho alone, ORV registrations rose from just under 2,800 in 1973 to

FIGURE 1.

Idaho Dirt Bike/ATV Registrations, 1973-2005



Source: Idaho Department of Parks and Recreation

over 100,000 in 2005 (Figure 1). A Forest Service survey reported 42 million ORV users on national forest lands nationwide from fall 2003 through spring 2004 (however, this number includes all types of vehicles—e.g., jeeps, 4x4 trucks, etc.—that were driven off a paved or gravel road)(Cordell et al. 2004). Moreover, as ORVs have gained in popularity they have also gained in horsepower and agility, with today's vehicles able to tackle even the most challenging backcountry terrain.

These trends are best understood in the context of increasing interest in outdoor recreational pursuits in general. In 2000-2001, 97% of Americans aged 16 and over reported participating in some outdoor activity (Cordell et al. 2004). In surveys of trends in outdoor recreation (Figure 2), participation in off-road driving (in all types of vehicles, including jeeps, 4x4 trucks, etc.) increased 110% between 1982-1983 and 2000-2001 (Cordell et al. 2004). However, off-road driving was not among the five fastest-growing activities over that period, and the number of participants in the fastest-growing activity, birdwatching, grew by 231%. The activities in greatest demand by Americans were walking, family gatherings, sightseeing, picnicking, and visiting educational sites. The surveys also demonstrated that Americans placed a higher importance on protecting and conserving water sources, designating wilderness, and designating non-motorized trail systems than on designating motorized trail systems. Although this brief focuses on addressing the ecological impacts of ORV use, it is important to recognize that all types of outdoor recreation can have negative impacts on public lands.

While the ecological effects of ORVs have been studied for the past 25 years throughout the United States, the resulting knowledge has been slow to influence land management policy. Meanwhile, the impacts of ORVs on ecosystems have increased across the United States and

throughout the world. The Wilderness Society undertook an extensive review of the relevant scientific literature, and found it demonstrates that ORVs cause significant and severe direct, indirect, and cumulative impacts on the environment, including wildlife mortality, habitat loss, erosion, soil compaction, destruction of stream bank stability, impairment of water quality, and other effects. The time period required for landscapes to recover from the impacts of ORVs remains unknown. Because of the significance of the impacts, it is important to assess and interpret the available information on the effects of ORVs in order to develop recommendations for better management of ORV use on public lands, and to encourage further research that will address unknown long-term effects on ecological processes and help refine management decisions.


Ecological Impacts

Effects on Wildlife

ORVs have a wide range of adverse effects on many species of wildlife (Joslin and Youmans 1999, Defenders of Wildlife 2002). The best-known example is the desert tortoise (*Gopherus agassizii*) in the Mojave Desert (Bury and Luckenbach 2002),

FIGURE 2.

Trends in Participation in the Fastest-Growing Outdoor Recreation Activities, USA



* Estimates of participants per year are based on surveys sampling the U.S. population, distributed across different geographic regions and social groups, and weighted according to U.S. census data.

Source: Cordell et al. 2004



PHOTO COURTESY NRS.GOV

The desert tortoise (*Gopherus agassizii*) is sometimes crushed to death under the wheels of larger ORVs—one of a wide range of adverse effects that ORVs have on wildlife.



Habitat fragmentation from ORV trails limits the movements of many wildlife species. For example, bobcats (*Lynx rufus*) rarely cross roads and trails, which become de facto home-range boundaries.

which is sometimes literally crushed to death under the wheels of larger ORVs. The vehicles also destroy underground burrows that provide refuge for tortoise and their young during the daylight hours. The nests, eggs, and young of shorebirds, too, may be destroyed by ORVs (Brown and MacLachlan 2002). Finally, direct mortality from ORVs in beach habitat of the Black Bay National Wildlife Refuge in Virginia has been linked to the decimation of the ghost crab (*Ocyopode quadrata*) population region-wide (Fialka 1975).

ORV trails that open up access to remote areas may increase the likelihood of poaching. Reports of hunters on ATVs taking illegal “flock shots” at running pronghorn antelope (*Antilocapra americana*) from long ranges are on the rise. ORV access to remote areas increases the vulnerability to trapping of pine marten (*Martes americana*), fisher (*Martes pennanti*), and wolverine (*Gulo gulo*) (Weaver 1993). In one study in the central Rocky Mountains, 21 of 25 human-caused wolf (*Canis lupus*) mortalities occurred within 200 meters of a motorized trail (Boyd and Pletscher 1999).

In addition to direct mortality from ORVs, numerous species of wildlife including birds, reptiles, and large and small mammals are disturbed by ORV traffic and show a variety of physiological effects including accelerated heart rate and metabolic function, increased stress, and reproductive failure (Havlick 2002). Many small mammals and reptiles use their acute sense of hearing and ability to detect vibrations to elude predators and capture prey, and noise from ORVs interferes with these senses. In kangaroo rats (*Dipodomys spectabilis*), ORV noise can cause frantic behavior, ear bleeding, and temporary loss of hearing (Berry 1980, Bury 1980).

Habitat fragmentation. Habitat fragmentation, which occurs when habitat loss or human-made barriers divide an area of relatively continuous habitat into smaller, disconnected parcels, frequently alters the behavior of wildlife species. Ecologists L. Harris and G. Silva-Lopez (1992) have written that “Roads are perhaps North America’s number one fragmenting force.” Roads and trails can act as barriers to animal movements and cause avoidance and displacement effects not just because of the bare surface of the road or trail, but also because of edge effects, including altered roadside habitat (vegetation changes may extend several tens of meters from the edge of the road) and the noises, emissions, movements, and lights associated with traffic (Bennett 1991, Larkin 1996, Noss 1996, Trombulak and Frissell 2000, Gaines et al. 2003). User-created ORV trails have the same fragmentation effects as roads do, but their greater density can cause worse cumulative impacts (Gaines et al. 2003, Gilbert 2003).

Wildlife species that must move and/or migrate between breeding, foraging, and/or overwintering habitats—ranging from amphibians at small scales to large ungulates at vast ones—may be particularly

vulnerable to habitat fragmentation produced by dense road or trail networks. For various physical and psychological reasons, some species will not cross roads or trails (Noss 1996, Gilbert 1998). For example, female bobcats (*Lynx rufus*) rarely cross roads, which become de facto boundaries circumscribing their territories (Foster and Humphrey, unpublished data reported in Hannah 1992).

Other species avoid using habitats near roads or heavily used trails. Numerous studies report that grizzly bears (*Ursus arctos*) avoid habitat near ORV trails (for example, within 500 meters in one study in Montana) (Mace et al. 1996, Graves 2002). In areas of heavy ORV use within the Big Cypress National Preserve, the Florida panther (*Puma concolor coryi*) avoids preferred hunting areas and home ranges (Janis and Clark 2002). ORVs have greater negative impacts on elk (*Cervus elaphus*) than do hikers, horseback riders, or bicyclists: in one study, elk began moving when ATVs were as far away as 2,000 yards but tolerated hikers to within 500, horseback riders within 800, and bicyclists within 1,300 yards (Wisdom et al. 2004). In addition, elk run from ATVs but tend to walk away from hikers unless startled at close range. Elk have also been shown to abandon large areas of high-quality forage when exposed to ORV traffic, shifting to small, overgrazed forest patches where ORV trails are absent (Morgantini and Hudson 1979). These types of effects can be particularly significant where ORVs are allowed in Inventoried Roadless Areas, which act as important refuges for wildlife (Gilbert 2003).

Effects on Vegetation

ORVs reduce perennial and annual plant cover, density, and overall above-ground biomass (Hall 1980). The degree of loss depends on the intensity of ORV use, but even a single vehicle pass can destroy or disrupt many types of plants



PHOTO COURTESY US FOREST SERVICE

and shrubs. Plants with shallow root systems typical of arid regions are especially vulnerable (Wilshire 1983, Lacey et al. 1997). Smaller shrubs are often the first to be damaged or eliminated. Damage to vegetation also increases as the summer progresses due to the phenology of many plants found along trails (Payne et al. 1983). In the spring, grasses and forbs are growing and more pliable, but as the plants mature they become dry and brittle, and thus more susceptible to ORV damage. In the Intermountain West, where droughts are frequent and the summers are hot and dry, the chance of vegetation damage is great and plants are less likely to reestablish at this time of year. Unfortunately, this stress period for plants coincides with the peak use of ORVs, thus magnifying the problem. Restoration of disturbed areas occurs only through the process of natural revegetation, and recovery may take many years (Rowlands 1983). This is especially true in arid regions.

In addition to destroying native vegetation, ORVs are frequently cited as the key link in the spread of invasive or noxious plants, which are becoming a threat to

Off-trail riding on ORVs destroys vegetation, damages soils, and creates severe erosion problems, especially in arid areas. The time period required for ecosystems to recover from many ORV impacts remains unknown.

▼ Land management agencies need to ensure that ecological analyses, monitoring, and enforcement plans are implemented in order to identify and respond to the effects of past and future ORV use. ▲

numerous grassland and forest ecosystems in the United States. Roads and trails serve as corridors for non-native plant invasions, and ORVs commonly transport a variety of non-native seeds. In Montana, seeds of an invasive plant, spotted knapweed (*Centaurea maculosa*), were shown to hitchhike by the thousands on the undercarriage of ORVs for distances up to 10 miles (Lacey et al. 1997). In Wisconsin, it has been estimated that ORVs could spread 200 million seeds statewide over the next 20 years (Rooney in submission). Where riding off-trail is allowed, ORVs remove competing vegetation and disturb soil, creating a seedbed for non-native seeds. Some noxious weed seeds are more likely to germinate and crowd out native plants in areas where soil has been compacted by ORVs.

Effects on Soils

Soils, especially in arid regions, can be severely damaged by ORVs. The loss of vegetative cover increases susceptibility to wind and water erosion, which accelerates decomposition of remaining organic matter, weakens soil aggregate stability, and results in the formation of inorganic surface crusts. These surface crusts increase runoff, inhibit germination and emergence of seedlings, and reduce water penetration, resulting in a harsher environment where it is more difficult for plants to survive (Dregne 1983). Other natural soil stabilizers such as lichen, fungal, and algal crusts are highly vulnerable to vehicles (Wilshire 1983). The force of rolling wheels on soil can cause compaction, which can have serious, long-lasting effects including decreased water infiltration, increased runoff, and severe erosion problems (Webb 1983).

The tracks of ORVs, especially on erosion-sensitive soil surfaces, form continuous rills, channels, and gullies that can change the speed, timing, quantity, and

quality of water flowing across the landscape (Heede 1983, Hinckley et al. 1983). For example, in the Nueces River Basin, Texas, greater erosion was documented in areas with off-road vehicle use, where floodwaters removed and redistributed gravel, than in areas where off-road vehicle traffic was absent (Taylor 2001, Garrett 2001).

Effects on Air and Water

Many types of ORVs release far greater quantities of pollutants than do vehicles not intended for off-road use (Schubert & Associates 1999, Davenport and Switalski 2006). Forest Service researchers have found that some vehicle types vent 25 to 30 percent of their oil and gas in the air unburned (Harrison 1976, The Wilderness Society 2001). Although manufacturers have begun to produce ORVs with four-stroke engines, many ORVs have two-stroke engines, which make a disproportionately high contribution to air pollution. For example, hydrocarbon (HC) emissions from two-stroke engine-equipped motorcycles are about 10 times greater than those from a comparable four-stroke motorcycle on a per-mile basis. The HC emissions for both two-stroke and four-stroke motorcycles are also significantly higher than those from a typical new car. Nationally, recreational vehicles (including snowmobiles) represent approximately 10% of all mobile-source HC emissions and 3% of all mobile-source carbon monoxide emissions (U.S. Environmental Protection Agency 2002).

Use of ORV trails near streams, rivers, and lakes creates a serious water pollution threat. When ORVs ford streams, they stir up bottom sediment, increase stream bank erosion, increase nutrient loads, increase turbidity, and cause vegetation loss in riparian areas (Hammitt and Cole 1987). Vegetation loss may result in increased water temperature,

which in turn increases the metabolic rate, respiration, and oxygen demand of fish and other aquatic species (Kolbe and Luedke 1993). Suspended solids can settle over eggs and fish nests, resulting in lower reproductive rates, and disrupt the food base of insects such as dragonflies (Anisoptera) and damselflies (Zygoptera). At one site unaffected by ORVs in the Nueces River Basin in Texas, numerous indicator species of fish were found that require clean, flowing water and sand and gravel for spawning. These characteristics were absent from a nearby ORV-impacted site, where 79% of species were environmentally tolerant and sensitive fish species were absent (Garrett 2001). In areas with extensive and heavily used ORV trail networks, sedimentation effects may influence entire watersheds (Kuss et al. 1984). Furthermore, tens of millions of gallons of gasoline and motor oil likely enter the soils and waters of our public lands each year, as a result of inefficient combustion and emissions of ORVs (Havlick 2002).

What's Needed


As ORV off-trail riding increases, along with associated demand for more ORV recreational opportunities, the environmental effects of ORV use need to be carefully considered and strategic plans developed for public lands to cope with the conflicts between recreation and environmental protection that will certainly arise. An excellent first step in managing ORVs is the Forest Service's new policy of designating specific trails and roads for ORV use, and prohibiting the vehicles from going off-trail. However, land management agencies also need to ensure that ecological analyses, monitoring, and enforcement plans are implemented in order to identify and respond to the effects of past and future ORV use.

Therefore, we urge the Forest Service and other land management agencies to use the following comprehensive plan-

ning process to ensure that new regulations governing off-road vehicle use are based on the abundant peer-reviewed scientific research, and will ensure resource protection. Some of the steps below address important and longstanding policy directives for managing ORVs on public lands contained in Executive Orders 11644 and 11989, which form the basis for federal agencies' regulation and decision-making processes.

■ First, land management agencies should undertake the following assessments, either prior to or in the course of developing a travel plan:

1. A natural resources inventory that describes the distribution and abundance of plants and animals, the location of landscape cover types and habitat features, and the needs of endangered and threatened species and other natural resource concerns.
2. A survey of existing roads and trails to provide the baseline information needed to understand where ORV riding is most concentrated. Where information is currently missing, surveys should be conducted and added to the database where applicable. Such a survey would help agency personnel recognize the extent to which the landscape has been affected by both legal and unauthorized motorized travel and recreational



Ecological criteria and sound science should guide the designation of ORV routes on public lands.

▼ Agencies should permit ORV use only to the extent that monitoring and enforcement are annually funded and properly implemented. Education of the public and self-policing on the part of ORV users can also help ensure the success of ORV management.

▲

use, and which areas may be in need of rehabilitation and possible closure. The survey should not be confused with or labeled as a “baseline travel system,” as it often will contain numerous user-created or other undesirable routes that have not been intentionally designed or engineered to accommodate ongoing motorized travel.

3. Habitat fragmentation analyses to ascertain the direct, indirect, and cumulative impacts of ORV trails and roads on wildlife habitat, habitat connectivity, populations, and distribution, and to locate relatively unroaded areas that function as high-quality habitat for many wildlife species. These analyses should include calculations of trail and road densities, edge effects, and core habitat areas, and should use current road and trail data and the latest scientific literature on the impacts of such routes on wildlife and aquatic species.
 - The ecological assessments based on the above analyses should be used to determine areas appropriate or inappropriate for ORV use (e.g., requiring closure). This information should also be made available for public review and discussion, and used as an opportunity to gather information from all recreational sectors.
 - Finally, agencies should develop ORV access and management plans as well as monitoring programs based on the above inventories, analyses, and public review. Management plans should:
 1. Permit ORV use under conditions that protect natural resources, environmental values (e.g., quiet, landscape character), public safety, and the experience of other public land users (Executive Order 11644).
 2. Include a requirement to analyze new recreational technologies/activities before permitting their use to determine potential negative impacts on the environment and environmental values (e.g., quiet, landscape character).
 3. Designate roads and trails for ORV use through environmental analyses under the National Environmental Policy Act (Executive Order 11644).
 4. Designate ORV routes based on ecological criteria, including but not limited to locating routes to minimize erosion, spread of invasive plants, wildlife harassment, impacts to natural wildlife behavior, and habitat fragmentation (Executive Order 11644).
 5. Decommission and restore unnecessary roads and trails in order to reduce overall road and trail density, and thus reduce habitat fragmentation and disruption of wildlife behaviors and movements (Executive Order 11644).
 6. Protect relatively unroaded areas and Inventoried Roadless Areas from further ORV trail and road development so that these areas maintain their natural ecological processes.
 7. Limit construction of new motorized roads and trails, and if new construction does occur locate the routes carefully to protect sensitive areas from disturbance.
 8. Plan ORV access points wisely. ORV use should be allowed through designated entryways and checkpoints. These access points should be located far away from sensitive areas.
 9. Reduce road widths—the wider a road or trail, the greater the

edge effect will be. Road and trail widths can be reduced by placing logs and rocks along the road or trail, not removing trees, and/or not mowing along the road- or trailside.

10. Ensure that roads and trails are properly signed and maintained.
11. Avoid rest-rotation schemes—rotating ORV recreation from one area to another periodically to allow for rest and recovery spreads negative impacts over larger areas of the landscape.
12. Include a monitoring program to measure short- and long-term ORV and road impacts on forest ecosystems. If monitoring determines that the use of ORVs is causing or will cause considerable adverse effects on natural resources, then the trail or area must be closed immediately until adverse effects are eliminated and measures are taken to prevent a recurrence (Executive Orders 11644 and 11989).

- Agencies should permit ORV use only to the extent that monitoring and enforcement are annually funded and properly implemented. This may require substantially improving law enforcement on public lands. All enforcement recommendations listed below must be implemented together in order to be effective:

1. Create a law enforcement task force and enforcement plan for each national forest.

2. Control traffic on problematic roads and trails by restricting use to daylight hours and establishing and enforcing strict speed limits.
3. Implement a permit system.
4. Increase penalties for violations and funding for law enforcement.
5. Institute a volunteer ranger program.
6. Consider closing trails and roads in unrestricted areas that cannot be adequately patrolled and monitored to prevent ecological damage.
7. Close trails where off-trail riding continues to be an issue.
8. Consider incentives for ORV users to self-police each other.

- A key component in the success of ORV management is educating the public as well as users. Studies have shown that most recreationists of all types are unable to recognize ecological impacts (Hammit and Cole 1987). Two components of education can directly decrease natural resource abuse: 1) information about ORVs—rules, regulations, and users' maps clearly showing where they can and cannot ride; and 2) information about natural resources and the negative impacts ORVs have on them.

- Land managers must recognize the potentially devastating ecological effects of ORVs, and locate their use only where it is compatible with protecting and conserving public land for future generations.

Literature Cited

- Bennett, A.F. 1991. Roads, roadsides, and wildlife conservation: A review. Pages 99-115 in: Saunders, D.A., and R.J. Hobbs, editors. *Nature Conservation. Volume 2. The Role of Corridors*. Surrey Beatty & Sons, Victoria, Australia.
- Berry, K.H. 1980. The effects of four-wheel vehicles on biological resources. Pages 231-233 in: Andrews, R.N.L., and P. Nowak. *Off-Road Vehicle Use: A Management Challenge*. U.S. Department of Agriculture, Office of Environmental Quality, Washington, D.C.
- Bowker, J.M., D.B.K. English, and H.K. Cordell. 1999. Projections of outdoor recreation participation to 2050. Pages 323-350 in: Cordell, H.K., C.J. Betz, J.M. Bowker, D.B.K. English, S.H. Mou, J.C. Bergstrom, R.J. Teasley, and M.A. Tarrant, editors. *Outdoor Recreation in American Life: A National Assessment of Demand and Supply Trends*. Sagamore Publishing, Champaign, IL.
- Boyd, D.K., and D.H. Pletscher. 1999. Characteristics of dispersal in a colonizing wolf population in the central Rocky Mountains. *Journal of Wildlife Management* 63:1094.
- Brown, A.C., and A. McLachlan. 2002. Sandy shore ecosystems and threats facing them: some predictions for the year 2025. *Environmental Conservation* 29(1):62-77.
- Bury, R.B. 1980. What we know and do not know about off-road vehicle impacts on wildlife. Pages 110-122 in: Andrews, R.N.L., and P. Nowak. *Off-Road Vehicle Use: A Management Challenge*. U.S. Department of Agriculture, Office of Environmental Quality, Washington, D.C.
- Bury, R.B., and R.A. Luckenbach. 2002. Comparison of desert tortoise (*Gopherus agassizii*) populations in an unused and off-road vehicle area in the Mojave Desert. *Chelonian Conservation and Biology* 4(2):457-463.
- Cordell, H.K., C.J. Betz, G.T. Green, S. Mou, V.R. Leeworthy, P.C. Wiley, J.J. Barry, and D. Hellerstein. 2004. *Outdoor Recreation for the 21st Century America, A Report to the Nation: The National Survey on Recreation and the Environment*. Venture Publishing, Inc., State College, PA.
- Davenport, J., and T.A. Switalski. 2006. Environmental impacts of transport related to tourism and leisure activities. Pages 333-360 in: Davenport, J., and J. Davenport, editors. *The Ecology of Transportation: Managing Mobility for the Environment*. Kluwer Academic Publishers, Dordrecht, Netherlands.
- Defenders of Wildlife. 2002. *Out of Control: The Impacts of Off-Road Vehicles and Roads on Wildlife Habitat in Florida's National Forests*. Washington, DC.
- Dregne, H.E. 1983. Soil and soil formation in arid regions. Pages 15-30 in: Webb, R.H., and H.G. Wilshire, editors. *Environmental Effects of Off-Road Vehicles: Impacts and Management in Arid Regions*. Springer-Verlag, New York, NY.
- Executive Order no. 11644, Feb. 8, 1972. 43 — Public Lands. Use of off-road vehicles on the public lands. Available from: <http://www.archives.gov/federal-register/codification/executive-order/11644.html>.

- Executive Order no. 11989 (Amendment to EO 11644), May 24, 1977. Use of off-road vehicles on public lands. Available from: <http://www.archives.gov/federal-register/executive-orders/11644.html>.
- Fialka, J. 1975. Running wild. *National Wildlife* 13(2):36-40.
- Gaines, W.L., P.H. Singleton, and R.C. Ross. 2003. *Assessing the Cumulative Effects of Linear Recreation Routes on Wildlife Habitats on the Okanogan and Wenatchee National Forests*. Gen. Tech. Rep. PNW-GTR-586. U.S. Department of Agriculture, U.S. Forest Service, Pacific Northwest Research Station, Portland, OR.
- Garrett, G. 2001. *Nueces River Collection Report*. Unpublished report, Texas Parks and Wildlife, Austin, TX.
- Gibbs, J.P. 1998. Amphibian movements in response to forest edges, roads, and streambeds in southern New England. *Journal of Wildlife Management* 62:584-591.
- Gilbert, B.K. 2003. *Motorized Access on Montana's Rocky Mountain Front: A Synthesis of Scientific Literature and Recommendations for Use in Revision of the Travel Plan for the Rocky Mountain Division*. The Coalition for the Protection of the Rocky Mountain Front, Logan, UT.
- Graves, T. 2002. *Spatial and Temporal Response of Grizzly Bears to Recreational Use of Trails*. M.S. Thesis, University of Montana, Missoula, MT.
- Hall, J.A. 1980. Direct impacts of off-road vehicles on vegetation. Pages 63-74 in: Rowlands, P.G., editor. *The Effects of Disturbance on Desert Soils, Vegetation and Community Processes with Emphasis on Off-Road Vehicles: A Critical Review*. Desert Plan Staff Special Publication. U.S. Department of the Interior, Bureau of Land Management, Riverside, CA.
- Hammitt, W.E., and D.N. Cole. 1987. *Wildland Recreation: Ecology and Management*. John Wiley & Sons, New York, NY.
- Hannah, D.H. 1992. *Fragmentation in the Ocala National Forest: A GIS Analysis*. M.S. Thesis, School of Forest Resources and Conservation, University of Florida, Gainesville, FL.
- Harris, L., and G. Silva-Lopez. 1992. Forest fragmentation and the conservation of biological diversity. Pages 197-237 in: Fiedler, P., and S. Jain, editors. *Conservation Biology, the Theory and Practice of Nature Conservation, Preservation and Management*. Chapman and Hall, New York, NY.
- Harrison, R. 1976. *Environmental Effects of Off-Road Vehicles*. Engineering Technology Information System, San Dimas Equipment Development Center, San Dimas, CA.
- Havlick, D.G. 2002. *No Place Distant: Roads and Motorized Recreation on America's Public Lands*. Island Press, Washington, DC.
- Heede, B.H. 1983. Control of rills and gullies in off-road vehicle traffic areas. Pages 245-264 in: Webb, R.H., and H.G. Wilshire, editors. *Environmental Effects of Off-Road Vehicles: Impacts and Management in Arid Regions*. Springer-Verlag, New York, NY.

- Hinckley, B.S., R.M. Iverson, and B. Hallet. 1983. Accelerated water erosion in ORV-use areas. Pages 83-96 in: Webb, R.H., and H.G. Wilshire, editors. *Environmental Effects of Off-Road Vehicles: Impacts and Management in Arid Regions*. Springer-Verlag, New York, NY.
- Janis, M.W., and J.D. Clark. 2002. Responses of Florida panthers to recreational deer and hog hunting. *Journal of Wildlife Management* 66(3):839-848.
- Joslin, G., and H. Youmans, coordinators. 1999. *Effects of Recreation on Rocky Mountain Wildlife: A Review for Montana*. Committee on the Effects of Recreation on Wildlife, Montana Chapter of the Wildlife Society, Helena, MT. Available from: <http://www.montanatws.org/pages/page4a.html>.
- Kolbe, C.M., and M.W. Luedke. 1993. *A Guide to Freshwater Ecology*. Texas Natural Resource Conservation Commission, Austin, TX.
- Kuss, F.R., A.R. Graefe, and J.J. Vaske. 1984. *Recreation Impacts and Carrying Capacity: A Review and Synthesis of Ecological and Social Research, Draft Review Report Edition*. University of Maryland, College Park, MD.
- Lacey, C.A., J.R. Lacey, P.K. Fay, J.M. Storey, and D.L. Zamora. 1997. *Controlling Knapweed on Montana Rangeland*. Circular 311. Montana State University Extension Service, Bozeman, MT.
- Larkin, R.P. 1996. *Effects of Military Noise on Wildlife: A Literature Review*. USACERL Technical Report 96/21. Illinois Natural History Survey, Champaign, IL.
- Mace, R.D., J.S. Waller, T.L. Manley, L.J. Lyon, and H. Zuuring. 1996. Relationships among grizzly bears, roads, and habitat in the Swan Mountains, Montana. *Journal of Applied Ecology* 33:1395-1404.
- Morgantini, L.E., and R.J. Hudson. 1979. Human disturbance and habitat selection in elk. Pages 132-139 in: Boyce, M.S., and L.D. Hayden-Wing, editors. *North American Elk: Ecology, Behavior and Management*. University of Wyoming, Laramie, WY.
- Noss, R. 1996. The ecological effects of roads. Pages 2-12 in: *Road-Rippers Handbook*. Wildlands Center for Preventing Roads, Missoula, MT.
- Payne, G.F., J.W. Foster, and W.C. Leininger. 1983. Vehicle impacts on Northern Great Plains range vegetation. *Journal of Range Management* 36(3):327-331.
- Rooney, T.P. Manuscript in preparation. Off-road vehicles as dispersal agents for exotic plant species in a forested landscape. Submitted to *Environmental Management*.
- Rowlands, P.G. 1983. *The Effects of Disturbance on Desert Soils, Vegetation and Community Processes with Emphasis on Off-Road Vehicles: A Critical Review*. Desert Plan Staff Special Publication. U.S. Department of the Interior, Bureau of Land Management, Riverside, CA.
- Schubert & Associates. 1999. *Petition to Enhance and Expand Regulations Governing the Administration of Recreational Off-Road Vehicle Use on National Forests*. (Prepared on behalf of the Wildlands Center for Preventing Roads and The Wilderness Society.)

- Taylor, R.B. 2001. Letter to Nueces River Authority on observations on Nueces River. Unpublished. Texas Parks and Wildlife, Austin, TX.
- Trombulak, S.C., and C.A. Frissell. 2000. Review of ecological effects of roads on terrestrial and aquatic communities. *Conservation Biology* 14:18-30.
- U.S. Environmental Protection Agency. 2002. *Final Regulatory Support Document: Control of Emissions from Unregulated Nonroad Engines*. Environmental Protection Agency, Washington, DC.
- U.S. Forest Service. 2005. Travel Management; Designated Routes and Areas for Motor Vehicle Use. 36 CFR Parts 212, 251, 261, and 295. Federal Register Vol. 70, No. 216. U.S. Department of Agriculture, U.S. Forest Service, Washington, DC. Available from: <http://www.fs.fed.us/recreation/programs/ohv/final.pdf>.
- Weaver, J. 1993. *Lynx, Wolverine, and Fisher in the Western United States: Research Assessment and Agenda*. U.S. Department of Agriculture, U.S. Forest Service, Intermountain Research Station, Missoula, MT.
- Webb, R.H. 1983. Compaction of desert soils by off-road vehicles. Pages 51-79. in: Webb, R.H., and H.G. Wilshire, editors. *Environmental Effects of Off-Road Vehicles: Impacts and Management in Arid Regions*. Springer-Verlag, New York, NY.
- The Wilderness Society. 2001. *Stand By Your Land - ORV Impacts*. Available from: <http://www.wilderness.org/standbylands/orv/facts.htm>.
- Wilshire, H.G. 1983. The impact of vehicles on desert soil stabilizers. Pages 31-50 in: Webb, R.H., and H.G. Wilshire, editors. *Environmental Effects of Off-Road Vehicles: Impacts and Management in Arid Regions*. Springer-Verlag, New York, NY.
- Wisdom, M.J., H.K. Preisler, N.J. Cimon, and B.K. Johnson. 2004. Effects of off-road recreation on mule deer and elk. *Transactions of the North American Wildlife and Natural Resource Conference* 69.

This Science & Policy Brief is part of a series of publications on transportation management topics published by The Wilderness Society's Ecology and Economics Research Department. Reports in the series that focus on issues relevant to this brief include:

- **Wildlife at a Crossroads:** Energy Development in Western Wyoming
- **Roadless Area Conservation Along Montana's Rocky Mountain Front:** Are We Losing Ground?
- **Ecological Effects of a Transportation Network on Wildlife:** A Spatial Analysis of the Upper Missouri River Breaks National Mounument
- **Protecting Northern Arizona's National Monuments:** The Challenge of Transportation Management
- **Roadless Areas:** The Missing Link in Conservation

These reports and related Science & Policy Briefs are available on The Wilderness Society's web site <www.wilderness.org> and from The Wilderness Society, Communications Department, 1615 M Street, NW, Washington, DC 20036 (202-833-2300 or 1-800-THE-WILD).



ACKNOWLEDGEMENTS

Many thanks to Randy Rasmussen of the Natural Trails and Waters Coalition, Adam Switalski of CPR Wildlands, and Susan Solarz of The Wilderness Society for helping to develop, edit, and add suggestions to this science brief.



Printed on
recycled paper
using soy inks.

For more information, contact:
Michele Crist, The Wilderness Society Northern Rockies/Idaho Office
350 N. 9th Street, Suite 302 • Boise, ID 83702
(208) 343-8153 • michele_crist@twso.org

THE WILDERNESS SOCIETY
1615 M Street, NW
Washington, DC 20036
(202) 833-2300
www.wilderness.org

Pre-Sorted
First Class Mail
U.S. Postage
PAID
Permit No. ??
Washington, DC